7.0 References

Basso, R.J. 2003. Predicted Change in Hydrologic Conditions Along the Upper Peace River Due to a Reduction in Ground-Water Withdrawals. Hydrologic Evaluation Section, Southwest Florida Water Management District. Brooksville, FL. 51 pp.

http://www.swfwmd.state.fl.us/documents/reports/upperpeace withdrawls.pdf

Basso, R. and R. Schultz. 2003. Long Term Variation in Rainfall and its Effect on Peace River Flow in West-Central Florida. Hydrologic Evaluation Section, Southwest Florida Water Management District. Brooksville, FL. 33 pp. http://www.swfwmd.state.fl.us/documents/reports/peace_rainfall.pdf

Cates, J.W.H. 1992. A Regional Conceptual Reclamation Plan for the Southern Phosphate District of Florida. July 20, 1992. 179 pp.

http://www.dep.state.fl.us/water/mines/ihn/docs/RegionalConceptual%20Plan So Phosphate D istrict FL.pdf

Coates, M. and S. Stone. December 21, 2006. "PRF Stressors". Email to J. Callahan.

Connecticut River Joint Commissions (CRJC). 2000. Introduction to Riparian Buffers: Living with the River. Series No. 1. Charleston, NH. http://www.crjc.org/

Enfield, D.B., A.M. Mestas-Nunez, and P.J. Trimble. 2001. *The Atlantic Multidecadal Oscillation and its* Relation to Rainfall and River Flows in the Continental U.S. Geophysical Research Letters, Volume 28, No. 10, pp. 2077-2080. http://www.agu.org/journals/gl/gl0110/gl 28 10.html

Flannery, M.S. and M. Barcelo. 1998. Spatial and temporal patterns of stream flow trends in the Upper Charlotte Harbor watershed. Pp. 63-71. IN: S.F. Treat (ed.). Proceedings of the Charlotte Harbor Public Conference and Technical Symposium. Technical Report No. 98-02. Charlotte Harbor National Estuary Program, Fort Myers, FL.

Florida Department of Agriculture and Consumer Services (DACS). July 2003. Florida's Agricultural Water Policy: Ensuring Resource Availability. 32 pp. http://www.floridaagwaterpolicy.com/PDFs/Florida Agricultural Water Policy Report.pdf

Florida Department of Agriculture and Consumer Services, Southwest Florida Water Management District, St. Johns River Water Management District, Northwest Florida Water Management District, Florida Department of Environmental Protection, and Suwannee River Water Management District (DACS et al.). 2006. Florida Agricultural Water Conservation: Best Management Practices. 48 pp. http://www.floridaagwaterpolicy.com/PDFs/BMPs/AgWaterConservBMPfinal2006.pdf

Florida Department of Environmental Protection, Bureau of Mine Reclamation (DEP-BMR). 2006a. *Nonmandatory Reimbursement*. November 2006. http://www.dep.state.fl.us/water/mines/nonman.htm

Florida Department of Environmental Protection, Bureau of Mine Reclamation (DEP-BMR). 2006b. *Total Maximum Daily Loads*. December 2006.

http://www.dep.state.fl.us/water/tmdl/index.htm

Florida Department of Environmental Protection, Division of Water Resource Management (DEP-DWRM). 2006. Sarasota Bay and Peace and Myakka Rivers: Water Quality Assessment Report. 482 pp. ftp://ftp.dep.state.fl.us/pub/water/basin411/sbpm/assessment/G3AS-SBPMR-LowResMerge.pdf

Florida Institute of Phosphate Research (FIPR). 2004. *Phosphate Primer*. http://www.fipr.state.fl.us/PhosphatePrimer

Florida Springs Task Force (FSTF). November 2000. Florida's Springs: Strategies for Protection & Restoration. http://www.lake.wateratlas.usf.edu/upload/documents/FloridaSprings.pdf

Fraser, T. May 24, 2006. Historical and Modern Patterns of Fish Species from Freshwater through the Tidal Peace River Continuum. Presentation at Peace River Cumulative Impact Study Meeting, Bartow, FL.

Geraghty and Miller, Inc. 1980. *Highlands Ridge Hydrologic Investigation, Tampa, Florida*. Prepared for the Peace River Basin Board, Southwest Florida Water Management District. Brooksville, FL.

Gray, W.M., J.D. Sheaffer, and C.W. Landsea. 1997. *Climate trends associated with multidecadal variability of Atlantic hurricane activity*. H.F. Diaz and R.S. Pulwarty (eds.). IN: Hurricanes: Climate and Socioeconomic Impacts. Springer-Verlag, New York. Pp. 15-53.

Hammett, K.M. 1990. Land Use, Water Use, Streamflow Characteristics, and Water-Quality Characteristics of the Charlotte Harbor Inflow Area, Florida. U.S. Geological Survey, Water Supply Paper 2359-A. 64 pp.

Kauffman, M.I. 1967. Hydrological Effects of Ground-Water Pumpage in the Peace and Alafia River Basins, Florida, 1934-1965. Florida Geological Survey Report of Investigation No. 49.

Kelly, M. November 17, 2006. "AMO". Email to R. Basso, R. Cantrell, R. Montgomery, and M. Barcelo.

Peek, H.M. 1951. Cessation of Flow of Kissengen Spring in Polk County, Florida. Report of Investigations No. 7, Florida Geological Survey.

PENTEC Environmental. 2001. Use of Best Available Science in City of Everett Buffer Regulations. Project No. 253-003. Everett, WA.

Petrus, K. December 7, 2006. "Verified Impaired Waterbodies". Email to T. Clark.

Post, Buckley, Schuh, and Jernigan (PBS&J). January 2007. Peace River Cumulative Impacts Study-Summary. 107 pp. http://www.dep.state.fl.us/water/mines/prcis.htm

Singleton, T. December 6, 2006. "Impaired Water Bodies in Upper Peace River. Email to T. Clark.

Southwest Florida Water Management District (SWFWMD). 1993. Eastern Tampa Bay Water Resources Assessment Project.

Southwest Florida Water Management District (SWFWMD). 2002. Upper Peace River – An Analysis of Minimum Flows and Levels. Draft Report to Southwest Florida Water Management District. Brooksville, FL. 31 pp.

http://www.swfwmd.state.fl.us/documents/reports/files/peace%20river%20review2.pdf

Southwest Florida Water Management District (SWFWMD). 2004a. Estimated Water Use, 1998 to 2002: Summary Report. September 2004. 5 pp.

http://www.swfwmd.state.fl.us/documents/reports/waterusesummary98-02.pdf

Southwest Florida Water Management District (SWFWMD). 2004b. Shell Creek and Prairie Creek Watersheds Management Plan. Brooksville, FL. December 2004. 124pp. http://www.swfwmd.state.fl.us/documents/plans/spjc_wmp.pdf

Southwest Florida Water Management District (SWFWMD). 2004c. Florida Forever Work Plan, Annual Update 2005. December 2004. 89 pp.

http://www.swfwmd.state.fl.us/documents/plans/2005floridaforever.pdf

Southwest Florida Water Management District (SWFWMD). 2005. Facilitating Agricultural Resource Management Systems. 2 pp.

http://www.swfwmd.state.fl.us/business/farms/files/umrw.pdf

Southwest Florida Water Management District (SWFWMD). 2006. Southern Water Use Caution Area Recovery Strategy. March 2006. 305 pp.

http://www.swfwmd.state.fl.us/documents/plans/swuca_recovery_strategy.pdf

Stewart, H.G. 1966. *Ground-Water Resources of Polk County*. Florida Geological Survey Report of Investigations No. 44. 170 pp.

U.S. Department of the Interior, U.S. Geological Survey, Center for Coastal Geology (USDI). October 11, 2002. *Invasive Exotic Species*.

http://sofia.usgs.gov/sfrsf/rooms/species/invasive/flcus/index.html

Zellars-Williams, Inc. (ZWI). 1980. Evaluation of Pre-July 1, 1975 Disturbed Phosphate Lands. http://www.dep.state.fl.us/water/mines/docs/Zellars-WilliamsExecutiveSummary.pdf

ACKNOWLEDGEMENTS

The Florida Department of Environmental Protection, Bureau of Mine Reclamation would like to thank the following for their assistance with the development of the *Peace River Basin Resource Management Plan*:

Ralph Montgomery of Post, Buckley, Schuh & Jernigan, Inc.;

Don Ross of EarthBalance;

Ron Basso and Rand Frahm of the Southwest Florida Water Management District;

Bill Bartnick of the Florida Department of Agriculture and Consumer Services;

Mike Coates and Sam Stone of the Peace River/Manasota Regional Water Supply Authority;

Tom Singleton and Kevin Petrus of the Florida Department of Environmental Protection, Total Maximum Daily Loads Program; and,

All the stakeholders and concerned citizens who attended the *Peace River Cumulative Impact Study* and *Peace River Basin Resource Management Plan* meetings to convey their thoughts and concerns on the current and future health and well-being of this watershed.